



City of Alameda Public Works Department
Contact:
510-747-7900
pw@alamedaca.gov

TREE REMOVAL NOTICE

Date Posted: September 15, 2026

Address: 2711 Washington Street F-1

The Public Works Department has scheduled the removal of this publicly owned tree after October 6, 2026.

This tree is being removed for the following reason: The tree is in conflict with adjacent infrastructure and ADA requirements and should be removed consistent with the City of Alameda Tree Removal Policy Section D (All Other Tree Removal – 3 Weeks Posting)



A copy of the Arborist Report and Tree Removal Policy (Street Tree Master Plan, Volume 2) are on file at the Public Works Department, City Hall West, 950 W. Mall Square, Room 110, Alameda, for review.

They are also available online at alamedaca.gov/street-trees

Arborist Report
2711 Washington Street F-1

Date: September 15, 2026

Prepared by: Erin Smith, Public Works Director
950 West Mall Square, Room 110
Alameda, CA 94501

Subject: 2711 Washington Sreet. F-1

Species: Geijera parviflora – Australian Willow

Recommendation: Removal – This tree was recommended for removal per the City's [Tree removal policy](#). Section D-All Other Tree Removals. Any resident or property owner can protest this determination in writing: September 15, 2026 – October 6, 2026 Protest procedures are in Section E of the City's [Tree Removal Policy](#).


Summary:

This tree at 2711 Washington Street F-1 is causing a public infrastructure and ADA conflict. The tree has outgrown its space and site modifications have been evaluated but the space issue cannot be mitigated by practical and reasonable options. Any modifications to the surrounding hardscape, including root pruning, would destabilize the tree resulting in failure of the tree. Removal of the tree will restore the adjacent sidewalk to meet ADA requirements and repair the curb and gutter and asphalt to City standards. A certified arborist has assessed the tree and determined that it has outgrown its space and recommends removal.



Arborist Determination: Removal is recommended.

Signed by:



52FE622045BA4DE...

Leo Tuchman, Certified Arborist