City of Alameda Public Works Department
Contact:
510-747-7900
pw@alamedaca.gov

TREE REMOVAL NOTICE

Date Posted: November 25, 2026

Address: 1412 Paru Street F1

The Public Works Department has scheduled the removal of this publicly owned tree after December 17, 2026.

This tree is being removed for the following reason:

This tree at 1412 Paru St. F-1 is causing a public infrastructure conflict. Site modifications have been evaluated but the space issue cannot be mitigated by practical and reasonable options. Additionally, the tree is in decline and any side modifications to the surrounding hardscape, especially around the roots that are counter-balancing the tree, would negatively impact public safety . There are no practical and reasonable measures to mitigate the decline, which will ultimately cause the tree to die. There are no site modifications that can be performed to restore the adjacent curb and gutter. Therefore, removal is recommended.

The tree is recommended for removalconsistent with the City of Alameda Tree Removal Policy Section D (All Other Tree Removal – 3 Weeks Posting)



A copy of the Arborist Report and Tree Removal Policy (Street Tree Master Plan, Volume 2) are on file at the Public Works Department, City Hall West, 950 W. Mall Square, Room 110, Alameda, for review.

They are also available online at alamedaca.gov/street-trees

Docusign Envelope ID: 17BBAA86-84BB-8ECD-82F5-B3993A54087B

Arborist Report
1412 Paru St. F-1

Date: November 25, 2026

Prepared by: Erin Smith, Public Works Director
950 West Mall Square, Room 110
Alameda, CA 94501

Subject: 1412 Paru St. F-1

Species: Geijeria parviflora – Australian Willow Tree

Recommendation: Removal – This tree was determined for removal per the City's Tree removal policy. Section D-All Other Tree Removals. Any resident or property owner can protest this determination in writing: November 26, 2025 – December 17, 2026. Protest procedures are in Section E of the City's Tree Removal Policy.

Summary:

This tree at 1412 Paru St. F-1 is causing a public infrastructure conflict. Site modifications have been evaluated but the space issue cannot be mitigated by practical and reasonable options. Additionally, the tree is in decline and any side modifications to the surrounding hardscape, especially around the roots that are counter-balancing the tree, would negatively impact public safety. There are no practical and reasonable measures to mitigate the decline, which will ultimately cause the tree to die. There are no site modifications that can be performed to restore the adjacent curb and gutter. Therefore, removal is recommended.

Photo:



Arborist Determination: Removal is Recommended

Signed by:
52FE622045BA4DE...

Leo Tuchman, Certified Arborist